INEBRIA

International Network on Brief Interventions for Alcohol & Other Drugs

11th CONGRESS WARSAW September 18th-19th 2014

"Brief Interventions - recent advances and new applications"

VENUE:

Medical University of Warsaw Żwirki i Wigury 61, 02-091 Warsaw, Poland

ORGANIZING COMMITTEE:

Krzysztof Brzózka Marcin Wojnar Magdalena Borkowska



Aleje Jerozolimskie 155, 02-326 Warsaw, Poland inebria2014@parpa.pl

Scientific committee

19 September 2014		
Chair: Marcin Wojnar	Medical University of Warsaw, Warsaw, Poland	
Peter Anderson	Institute of Health and Society, Newcastle University, UK and Faculty of Health, Medicine and Life Sciences, Maastricht University, Netherlands	
Frederic Blow	Department of Psychiatry, University of Michigan Medical School, Ann Arbor, MI, USA	
Jean Bernard Daeppen	Centre de Traitement en Alcohologie, Lausanne University Hospital, Lausanne, Switzerland	
Niamh Fitzgerald	Create Consultancy, The Robert Gordon University, Glasgow, UK	
Antoni Gual	Alcohol Unit & Psychiatric Service, Hospital Clínic, Barcelona, Spain	
Sion Harris	Children's Hospital Boston, Harvard Medical School, Boston, USA	
Nick Heather	Unit of Psychiatry, School of Life Sciences, Northumbria University, Newcastle, UK	
Eileen Kaner	Institute of Health & Sciety, Medical School, Newcastle University, UK	
Marko Kolsek	Department of Family Medicine, Medical Faculty, University of Ljubljana, Ljubljana, Slovenia	
Miranda Laurant	Scientific Institute for Quality of Healthcare (IQ Healthcare), Nijmegen, Switzerland	
Jim McCambridge	London School of Hygiene & Tropical Medicine, Faculty Public Health & Policy, Department of Social & Environmental Health Research, London, UK	
Dorothy Newbury-Birch	Institute Health & Society, Newcastle University, Newcastle, UK	
Lodewijk Pas	Domus Medica, Wezembeek Oppem, Belgium	
Richard Saitz	Boston Medical Center (BMC), Boston University Medical Camps (BUMC), Boston, USA	
Lidia Segura	Program on Substance Abuse, Department of Health, Government of Catalonia, Barcelona, Spain	
Emanuele Scafato	Istituto Superiore di Sanita, WHO collaborating Centre of Research, National Observatory on Alcohol (CNESP), Rome, Italy	
Pierluigi Struzzo	Regional Centre for the Training in Primary Care, Montefalcone, Italy	
75 12 CH 221 -		

University College of London, London, UK

Paul Wallace

THURSDAY, 18th SEPTEMBER 2014

A Randomized Clinical Trial

09:00-10:00	Opening and Plenary Lecture 1	
Nick HEATHER: The interpretation of nul	I findings from trials of alcohol brief inter	ventions: problems and solutions
10:00-10:30	Coffee Break	
10.30-11.45		
AULA A	Room 117	Room 119
Chair: R. Huebner	Chair: C. Cherpitel	Chair: E. Scafato
SESSION 1: SYMPOSIUM 1 Screening and Brief Intervention across Settings, Patient Populations, and Providers	SESSION 2: Efficacy of SBI in different settings	SESSION 3: WORKSHOP 1 Developing evidence-based recommendations for practice: Methodological considerations from the BISTAIRS project
R. Huebner: Screening and Brief Intervention across Settings, Patient Populations, and Providers	C. Cherpitel: Screening and Brief Intervention (SBI) in the Emergency Department among Mexican-Origin Young Adults: 12 Month Outcomes of a Randomized Controlled Clinical Trial	E. Scafato
S. Sterling: Adolescent SBIRT Implementation In Pediatric Primary Care: Results from a Randomized Trial in an Integrated Health Care Delivery System	G. Bishof: Efficacy of the Community Reinforcement and family training for treatment-resistant individuals with alcohol use disorders: A randomized controlled trial	
F. Chi: Effectiveness of Screening and Brief Intervention in Reducing Risky Drinking: Results from an Implementation Study in Primary Care Setting	T. Barroso: Alcohol Brief intervention in patients in methadone maintenance programs: An experience in Portugal	
D. Satre: Motivational interviewing to reduce alcohol and drug use among adults in treatment for depression: 6 month outcomes	R. Dhital: Randomised trial of effectiveness of brief alcohol interventions delivered by community pharmacists	
C. Weisner: Effectiveness of Nurse- Practitioner-Delivered Brief Motivational Intervention for Young Adult Alcohol and Drug Use in Primary Care in South Africa:		

11.45-13.00		
AULA A	Room 117	Room 119
Chair: A. Gual	Chair: F. Blow	Chair: G. Bischof
SESSION 4: SYMPOSIUM 2 The need to optimize the delivery of Brief Interventions: Results and conclusions from the Odhin project.	SESSION 5: Efficacy of E-BI	SESSION 6: Screening and brief intervention tools and guidelines
A. Gual: Introduction	N. Bertholet: Internet-based brief intervention for young men with unhealthy alcohol use: a randomized trial in a general population sample	A. Baklazec: Screening for adverse childhood experiences among health professionals assessed for substance use and mental health disorders
M. Keurhorst: Implementation determinants for managing hazardous and harmful alcohol consumption in primary healthcare. A systematic review and meta-regression analysis of trials	F. Blow: Efficacy of Computer vs. Therapist Brief Interventions for Drug Users	G. Bischof: The German S-3 Guidelines for Brief interventions in the alcohol field
M. Wojnar: How European general practitioners face alcohol problems	K. Kuzubova, S. Harris: Computer- Facilitated Screening and Physician Brief Advice: Effects on Heavy Episodic Drinking Among Adolescents	B. Reimann, C. Swenson: Beating the Odds: A Physician's Success Story on True Integration
J. Colom, L. Segura: Beyond evidence. Lessons learnt from the ODHIN RCT	S. Harris: Validity of computer vs. clinician screening of adolescents in primary care	A. O'Donell: Developing and delivering tailored ASBI implementation strategies in primary healthcare and beyond: Preliminary findings from the BISTAIRS research project
C. Angus: New evidence on the cost- effectiveness of Brief Interventions in primary care: results from the ODHIN trial		
P. Anderson: So what? Policy implications of the ODHIN findings.		
13.00-14.00	Lunch	

Chair: J. McCambridge

Nick Heather Annual Lecture

P. Anderson: Implementation results of ODHIN cluster randomized factorial trial to increase screening and brief advice

rates for heavy drinking

Mary LARIMER: Screening and Brief Intervention for college student drinking: Successes, challenges, and the road ahead

15.00-16.30	AULA A	
INEBRIA AGM		
16.30-16.45	Coffee Break	
16.45-18.00		
AULA A	Room 117	Room 119
Chair: P. Anderson	Chair: P. Struzzo	Chair: J-B. Daeppen
SESSION 7: SYMPOSIUM 3 ODHIN cluster randomized factorial trial to increase screening and brief advice rates for heavy drinking	SESSION 8: Efficacy of SBI in Primary Care	SESSION 9: WORKSHOP 2 Brief advice or brief motivational intervention? Discussion about optimal efficacy according to patient profile, intervention and setting
A. Gual: Introduction	S. Assanangkorchai: Cost and cost- effectiveness of the ASSIST-linked brief intervention for alcohol and illicit substance abuse in primary care in Thailand	J-B. Daeppen
M. Keurhorst: Methods of ODHIN cluster randomized factorial trial	A. Krupski: Brief Intervention for Problem Drug Use in Public Hospital- Based Primary Care Settings: A Randomized Clinical Trial	
M. Laurant, P. Bendtsen: Baseline results of ODHIN cluster randomized factorial trial to increase screening and brief advice rates for heavy drinking	P. Struzzo: The EFAR Italy RCT Study on an alcohol reduction website: the three months follow-up results.	

ERIDAY 19TH SEPTEMBER 2014

phospatidylethanol and self-report in

Lunch

persons with HIV in rural Uganda

12.45-14.00

9.00-10.00	Plenary AULA A	
Chair: J. Colom		
Plenary Debate 1 Preben BENDTSEN and Sven ANDREAS Internet alcohol interventions - can th	SON: ey stand alone or do they need to be integr	ated with a personal contact?
10.15-11:15	Coffee break/Poster Session (HALL)	
11:15-12:30		
AULA A	Room 117	Room 119
Chair: L. Segura	Chair: J. McCambridge	Chair: M. Wojnar
SESSION 10: Screening tools	SESSION 11: WORKSHOP 3 Design and conduct of randomised controlled trials of brief interventions for alcohol and drugs	SESSION 12: Brief interventions in adolescents
A. Bischof: Pilot study iPin- intervening Problematic Internet use - Brief intervention for risk groups	in J. McCambridge	E. Tanner-Smith: Brief Alcohol Interventions for Adolescents and Young Adults: A Systematic Review and Meta- analysis
J. McNeely: Validation of a computer s administered Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in primary care patients		N. Fitzgerald: Alcohol Brief Interventions in Youth Settings Outside Formal Education: Feasibility, Acceptability, Evaluability
C. Swenson: Adolescent Screening and Brief Intervention for Marijuana Prevention in Colorado		S. Mitchell: Adolescent SBIRT Implementation in an Urban Federally Qualified Health Center: The First Year
J. Hahn: Comparing trends in unhealth alcohol use measured by a	у	E. Weitzman: Screening for Alcohol Use Among Adolescents with Chronic Medica

Conditions

14.00-15.00

Chair: J-B. Daeppen

Plenary debate 2: How does Brief Intervention work?

Molly MAGILL: Brief intervention mechanisms: What does current research on Motivational Interviewing process have to offer?

Jacques GAUME: What do we know about mechanisms of action of brief alcohol interventions?			
15.00-15.30 Coffee break			
15:30-16:45			
AULA A	Room 117	Room 119	
Chair: N. Fitzgerald	Chair: M. Monteiro	Chair: D. Finell	
SESSION 13: Implementation of SBI	SESSION 14: SBI Programs in different countries	SESSION 15: WORKSHOP 4 Strategies for integrating SBI into health policy	
A. O'Donell: Measuring the impact of financial incentives on the implementation of screening and brief alcohol interventions in UK primary care	F. Rosario: Differences between general practitioners groups with different attitudes towards drinkers: a post-hoc study of the ODHIN WP4 project in Portugal	D. Finell	
M. Singh: Barriers and Facilitators to Delivery of Screening, Brief Intervention, and Referral to Treatment (SBIRT) Services	K. Sinadinovic: Associations between attrition and baseline wellbeing for participants in two randomized trials investigating Internet-based interventions for reducing substance use		
H. Otete: Are there early opportunities to provide brief interventions in Primary and Secondary Healthcare settings in the UK?	A. Mierzecki: ODHIN Study baseline results of screening and brief interventions for alcohol – are there country differences?		
N. Fitzgerald: Implementation of Alcohol Brief Interventions in A&E and Antenatal Settings in Scotland: A Qualitative Interview Study	A. Bohnert: A brief intervention to prevent opioid overdose and improve overdose bystander response among patients in the emergency department		
16:45-17:00	Closing		

Pre-Conference Meetings


17 September 2014

CBI Building


ODHIN Project9 to 16hroom 128INEBRIA CC16 to 19hroom 128BISTAIRS Project16 to 19hroom 106








The conference will take place in two buildings: CBI and CD Aula A is located in CD bulding.
Rooms 106, 117, 119, 128 are located in CBI building
Pre-conference meetings take place only in CBI building






Buildings CD and CBI adjacent to each other

How to get to the Conference Venue

from your hotel




How to get for the Conference Dinner

19 September 2014

Time for unofficial and relaxed conversations with other conference participants.

Taste traditional Polish cuisine (also vegetarian) in one of well-known, moody

Varsovian restaurant - Der Elefant http://www.derelefant.pl/




START at 7 p.m. /cost: 160PLN/

Run around Pola Mokotowskie

19 September 2014

Let's start the second day of the conference with a dose of sport. You will walk/run across the Pole Mokotowskie park – one of the largest parks in Warsaw. Start and ending point will be in front of the Medical University of Warsaw, where the conference takes place. We provide participants with INEBRIA RUN t-shirts.



distance: around 6km; duration: around 1h; START 7:00 a.m.

Sightseeing tour around Warsaw

19 September 2014

Take part in Warsaw walking tour. You will be guided by professional city guide and hear main historical facts as well as some amusing stories about the capital city of Poland. The tour includes walk across the Old Town listed by UNESCO



Walking tour programme:

Sigismund's Column - the first secular monument in this part of Europe

The Castle Square

Swietojanska Street with St. John's Cathedral

Kanonia Square - the thinnest building and the first cemetery in Warsaw

Dawna Street - the most picturesque view in the Old Town

Gnojna Gora - beautiful viewing terrace that hides an uncommon surprise

The Main Market Square with Warsaw Mermaid monument

Kamienne Schodki ('Stone Stairs') street - where Napoleon Bonaparte tried to admire

the view of Vistula River

City walls and the Barbicane

Freta Street - where Maria Sklodowska-Curie was born

the New Town Market Square - why and when there were to Warsaws

the Warsaw Ghetto boundary markers - the story about unexisting district

Warsaw Uprising Monument

Miodowa Street - why there is 'Honey Street' in Warsaw

Ministry of Health

Meeting point: the Sigismund's Column at the Castle Square; duration: around 1,5-2h.

START 7:00 p.m

(bus stop 'Plac Zamkowy', buses: 116, 178, 180, 222, 503, 518; bus stop 'Plac Piłsudskiego', buses: 128, 175, 111 and then 5-minute walk to the Castle Square)

POSTER SESSION

19 September 2014

Garcia Claro H., Aparecida Ferreira de Oliveira M., Titus J., Ribeiro Tarifa R., Hayasi Pinho P. The Global Appraisal of Individual Needs - Short Screener: Portuguese adaptation and validation for use in Brazil

Wallhed Finn S., Andreasson S. Treatment of alcohol dependence: a randomised controlled trial comparing treatment in primary care with specialised addiction treatment

Morris J. Assesing the impact of regional initiatives in London to increase SBI activity

Barroso Dias J., Aguiar P. SBI training - A strategy for addressing Alcohol related problems on workplace in Portugal

Hyde J., French M., Johnson B., Tilotta M., Beveridge M. SBIRT Implementation in the US Army National Guard

Tantirangsee N., Assanangkornchai S. The key successful factors associated with substance cessation in schizophrenic patients with substance-related problems: A qualitative study

Craig L. ABI's for young people in the context of a multi-component Community Alcohol Campaign in Glasgow, Scotland

Queiroz N., Mendes Abreu A.M., Fernandes Portella L. Protection factor and ally the religiosity standard alcohol consumption and tobacco users in the family health stratégy

Steinka-Fry K., Tanner-Smith E.E, Grant S.P. Effects of 21st Birthday Brief Alcohol Interventions on College Student Celebratory Drinking: A Meta-Analytic Review

Finnell D., Abreu A.M. M., Jomar R.T., Souza M.H., Queiroz N., Fernands D. B., Savage C.L. Using the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) Among Primary Care Patients in Brazil

Rodden A. Factors influencing effective implementation of Alcohol Screenings and Brief Interventions (SBIs) with young people: A frontline perspective

Thaikla K., Assanangkornchai S. Enhancing Prevention with the Substance Abuse and Alcohol Prevention (SAP) Games

Crombie L., Barbour J. Alcohol Brief Interventions, young people and the streets: Experiences from Fife, Scotland

POSTER SESSION

Andrade A., Boerngen de Lacerda R., Pinto Gomide H., Mota Ronzani T., Marcondes Marconela L., Oliveira Souza-Formigoni M.L. Effectiveness of a six-week web-based intervention (Bebermenos/Drinking less Brazilian site) in the reduction of alcohol related problems

Fitzgerald N. The Strengths and Risks of Using Diagrams to Conceptualise and Describe Brief Motivational Interventions

Soler-González C., López-Pelayo H., Barrio-Jiménez P., Gual-Solé A. SIDEAL. An mHealth solution for the alcohol-dependent

Ferguson S., Treanor M., Jepson R., McAteer J., Reid G. Evaluation of Alcohol Brief Interventions delivered as part of the > Keep Well health check in Easter Ross, Scotland

Williams E., Lapham G., Lee A., Richards J., Berger D., Ludman E., Bradley K. Readiness to change, confidence in ability to change, and severity of unhealthy alcohol use among primary care patients

Reinholdz H., Spak F. What are the health care staffs thoughts and experiences on working with early identification of risky drinking? A qualitative study of staff in PHCs in Sweden during implementation of early identification and brief intervention methods.

Berman A.H., Biguet G., Bois C., Lilienthal A., Uhlin L., McGrath C., Zary N., Suominen S. KIBEHMEDX. An example of a massive online open course in behavioral medicine.

López Pelayo H., Wallace P., Segura L., Díaz E., Baena B., Palacio J., Casajuana C., Colom J., Gual A. Randomised controlled non-inferiority trial of primary care-based facilitated access to an alcohol reduction website in Catalonia (Spain)

Segura L., Garmyn B., Ibañez N., Bruguera C., Rodriguez M.C., Colom J. Do brief interventions help improving the impact of workplace alcohol prevention interventions.

Diestelkamp S., Kriston L., Arnaud N., Wartberg L., Thomasius R. At-risk alcohol consumption patterns of alcohol intoxicated adolescents in the emergency department: A latent class analysis

Moura Rocha Brites R., Mendes de Abreu A.M. Alcohol use among workers: an intervention in occupational health

Mrozowicz-Gaudyn D., Carballo, J.L. Hazardous drinking profile among Spaniards

Falcón M., García R.M., González M.D., Manzano C., Torres F., Roman L., Hernández M., Villalbí A., García-Algar O., Pichini S., Luna A. Screening of drugs of abuse and brief intervention in a paediatric emergency department.









